

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	0	@ad<"20021209" and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj table) same default adj (connect \$3 same network or destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:46
L12	8	@ad<"20021209" and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default adj (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:48
L13	29	@ad<"20021209" and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:49
L14	0	709/218.ccls. and (select \$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:52
L15	0	709/224.ccls. and (select \$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:52

L16	7	709/238.ccls. and (select \$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 15:14
L17	1	709/239.ccls. and (select \$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:07
L18	1	709/240.ccls. and (select \$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:07
L19	6	709/242.ccls. and (select \$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:08
L20	31	"709"/\$ and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:09

L21	4	"707"/\$ and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:22
L22	1	"705"/\$ and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:23
L23	0	"715"/\$ and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:24
L24	1	"717"/\$ and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:25
L25	0	"718"/\$ and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:28

L26	9	"455"/\$ and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:29
L27	7	"379"/\$ and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:30
L28	50	"370"/\$ and (select\$4 or choos\$3 or look\$3 or compar\$3 or us\$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:31
S1	0	@ad<"20021209" and (first and second) adj (adapter) with (routing adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:03
S2	4	@ad<"20021209" and (first and second) adj (adapter) same ((rout\$3 or forward\$3 or destination or relay\$3) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:05
S3	13	@ad<"20021209" and (multiple or plurality) near3 (adapter) same ((rout\$3 or forward\$3 or destination or relay\$3) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:14
S4	42	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter) same ((rout\$3 or forward\$3 or destination or relay\$3) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:17

S5	16	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter) same (associat\$3 or relat\$3) with ((rout\$3 or forward\$3 or destination or relay\$3) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:24
S6	20	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter or interface) same (associat\$3 or relat\$3 or select\$3) with ((rout\$3 or forward\$3 or destination or relay\$3) adj table) same destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:39
S7	0	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter) same (associat\$3 or relat\$3 or select\$3) with (multiple or plurality or (first and second)) near3 ((rout\$3 or forward\$3 or destination or relay\$3) adj table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:40
S8	1	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter) and (associat\$3 or relat\$3 or select\$3) with (multiple or plurality or (first and second)) near3 ((rout\$3 or forward\$3 or destination or relay\$3) adj table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:46

S9	1	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near4 (adapter) and (associat\$3 or relat\$3 or select\$3) with (multiple or plurality or (first and second)) near3 ((rout\$3 or forward\$3 or destination or relay\$3) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:57
S12	13	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near4 (adapter) and (multiple or plurality or (first and second)) near4 ((rout\$3 or forward\$3 or destination or relay\$3) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 22:02
S13	66	@ad<"20021209" and (adapter or interface) with (associat\$3 or relat\$3 or compris\$3 or hav\$3) same (multiple or plurality or (first and second) or associat\$3) near4 ((rout\$3 or forward\$3 or destination or relay\$3) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 22:03
S14	58	@ad<"20021209" and (adapter or interface) with (associat\$3 or relat\$3 or compris\$3 or hav\$3) with (multiple or plurality or (first and second) or associat\$3 or correspond\$3) near4 ((rout\$3 or forward\$3 or destination or relay\$3) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 22:04

S15	4	@ad<"20021209" and ((plurality or multiple or virtual) near3 (adapter or interface)) with (associat\$3 or relat\$3 or compris\$3 or contain\$3) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:38
S16	13	@ad<"20021209" and ((plurality or multiple or virtual) with (adapter or interface)) with (associat\$3 or relat\$3 or compris\$3 or contain\$3) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:47
S17	27	@ad<"20021209" and ((plurality or multiple or virtual) with (adapter or interface)) same (associat\$3 or relat\$3 or compris\$3 or contain\$3) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:47

S21	39	@ad<"20021209" and (adapter or interface) with (associat\$3 or relat\$3 or compris\$3 or contain\$3) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:27
S30	17	@ad<"20021209" and (source) with (associat\$3 or relat\$3 or select\$4) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:37
S31	0	@ad<"20021209" and (source near3 application) with (associat\$3 or relat\$3 or select\$4 or choos\$3 or look\$3 or trigger\$3) with ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:39
S32	189	@ad<"20021209" and (source or application) with (associat\$3 or relat\$3 or select\$4 or choos\$3 or look\$3 or trigger\$3) with ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:39
S33	91	@ad<"20021209" and (source or application) with (associat\$3 or relat\$3 or select\$4 or choos\$3 or look\$3 or trigger\$3) with ((routing or forwarding or destination or relaying) adj table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:39

S34	34	@ad<"20021209" and (source or application) with (associat\$3 or relat\$3 or select\$4 or choos\$3 or look\$3 or trigger\$3) with ((routing or forwarding or destination or relaying) adj table) same ((next or final) adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:40
S35	24	@ad<"20021209" and (source or application) with (associat\$3 or relat\$3 or select\$4 or choos\$3) with ((routing or forwarding or destination or relaying) adj table) same ((next or final) adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:44
S36	14	@ad<"20021209" and (source or application) with (select\$4 or choos\$3) near3 ((routing or forwarding or destination or relaying) adj table) and ((next or final) adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:03
S37	0	@ad<"20021209" and (source near3 application) with (select\$4 or choos\$3) near3 ((routing or forwarding or destination or relaying) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:03
S38	0	@ad<"20021209" and (source near3 application) with (select\$4 or choos\$3) with ((routing or forwarding or destination or relaying) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:03
S39	0	@ad<"20021209" and (source near3 application) with (select\$4 or choos\$3 or look\$3 or compar\$3) with ((routing or forwarding or destination or relaying) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:03

S40	4	@ad<"20021209" and (source with application) with (select\$4 or choos \$3 or look\$3 or compar \$3) with ((routing or forwarding or destination or relaying) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:16
S41	10	@ad<"20021209" and (source with application) with (select\$4 or choos \$3 or look\$3 or compar \$3 or us\$3) with ((routing or forwarding or destination or relaying) adj table) same (connect\$3 same network or destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:18

5/ 29/ 2009 4:33:06 PM

C:\ Documents and Settings\ qnguyen4\ My Documents\ EAST\ Workspaces
 \ 10697121_SelectingRoutingTableAssociatedAdapter.wsp